

Pedestrian Swing Turnstile Gate Customized 304 Stainless Steel For Supermarket


Basic Information

- Place of Origin: China
- Brand Name: SEWO
- Certification: CE ISO9001
- Model Number: SEWO-5311-L
- Minimum Order Quantity: 1 lane
- Price: Negotiable
- Packaging Details: wooden box
- Delivery Time: 5-7 working days
- Payment Terms: T/T, Western Union, MoneyGram, L/C, D/A, D/P
- Supply Ability: 2000 sets per month



Product Specification

- Product Name: Supermarket Swing Gate
- Material: 304 Stainless Steel
- Power Supply: AC220V
- Dimension: 168*1050 Mm
- Type: Swing Gate
- Passing Width: 1200mm
- Working Environment: Indoor / Outdoor (Shelter)
- Warranty: 12 Months
- Color: Silver Or Customized
- Direction: Single/ Bi-direction
- Transit Speed: 20~60 People/minute
- Usage: Office, Hotel, Library, Metro Station, ect.
- Highlight: Pedestrian Swing Turnstile Gate,
Swing Turnstile Gate Customized,
Stainless Steel Supermarket Turnstile



Product Description

Pedestrian Swing Turnstile Gate for Supermarket Customer Access Control Gate System

Discriptions of Supermarket Turnstile Gate:

Supermarket swing gates are entrance/exit barriers commonly used in supermarkets and retail stores to control the flow of customers. These gates consist of a pair of swinging panels or arms that open and close to allow or restrict access. The swing gates are usually installed near the entrances or exits of the supermarket and are operated automatically. They are designed to prevent unauthorized entry or exit, deter theft, and help maintain a secure and organized shopping environment. When a customer approaches the swing gate, they need to either present a valid barcode, RFID card, or make contactless payment using a mobile device, which will trigger the gate to open temporarily, allowing the person to pass through. In case of an invalid or unauthorized access attempt, the gate will remain closed, indicating denial of entry. Supermarket swing gates are equipped with sensors and detectors to detect the presence of people and prevent tailgating or forced entry. They also serve as a visual deterrent and act as a physical barrier to regulate and manage the flow of customers in and out of the store. These swing gates are an effective solution for ensuring security, reducing theft, and improving crowd control in supermarkets and retail environments.

Key Features of Swing Gate:


1. Compact appearance, adapt to varied situation (no install place for card reader), Reliable and durable, low noise and stable operation;
2. Standard electrical interface, various card reader acceptal to our swing gate & can be controlled by computer, Single/Double Directional Optional which can be controlled by both ways or single way;
3. When power off, the gate will be dropped down (optional set free passage when power off) to the request of fire protection, and automatically closes when power on;
4. Surface of mechanical electroplated with yellow dichromic acid, antirust and durable;
5. The swing gate installed Infrared sensor interfaces, could be expanded to Infrared testing function.
6. The horizontal bi-directional movement of the arm allows patrons to pass smoothly through the ADA swing gates, prevent pedestrians from being nipped and from being hurt;
7. Breakdown Self-checking and alarm indication, easy for maintenance and using;
8. The motor will stop working in case of the swing encounter of obstruct;
9. The swing gate arm will lock in case of not receving the open signal;
10. Arms synchronization. (adjustable): Arms are automatically locked until opening signal is received;
11. Anti illegal entering alarm: Light and sound alarm is generated when the illegal invasion and the tail followed;
12. Automatically reset function: It will automatically lock if the pedestrian hasn't pass through the channel in the pre-set time after the opening. The passing time is adjustable.

Specifications of Swing Turnstile Gate :

Product Name	Swing Gate Turnstile Series
Model No.	SEWO-5311-L
Housing Material	304 Stainless Steel
Thickness of Housing	1.8mm
Product Size(L*W*H)	168*1050mm
Swing Arm Length	600mm
Passing Width	1200mm
MCBF	≥ 3,000,000 times

Applications:

Tripod turnstiles are mainly used in parks, subway, customers, airport, bus station, office building, scenic spot, community, attractions, and exhibition hall doors, residential, Construction Sites, Industrial Plants, Marquee Golf Tournaments, State Fairs, Special Sporting Events and Festivals!



FAQ

1, What is the strength of your company in this industry?

Our company pays much attention to bringing and developing new technique and products since the foundation in 2003. Our brand "SEWO" has ranked among the top 10 famous brands of car parking systems and facilities in China.

2, What is the advantage products of your company?

Shenzhen Sewo Technology Ltd. Is a professional high-tech enterprise, which integrates the development, manufacturing, marketing, and service of Smart Parking Management System, Flap Barrier, Tripod Turnstile, Swing Gate, Parking Guidance System, Barrier Gate, Parking Lock, Access Control Systems and other related security products.

3, How about the quality of your product?

With our exquisite technology and strict quality testing system, we passed "CE" and "ISO9001:2008" international quality assessment standards. Our company also has won many honors, such as "China Top 10 Parking Management System Supplier", "AAA grade quality, service and prestige enterprise in China", and so on. Professional R&D team has strong capacity to be committed to continuously creating high quality products and service.

4, How about some customization request?

We support OEM / ODM service, more than 20 years industry experience will bring appropriate design for you, not only products, but also a smart access management solution expert.

5, Do you have agency for after-sales service?

Any question about products, you can find our sales anytime. We will provide life-time technology support. We have established many branch offices and gained much agents at home. Our sales and service network spreads all over the world. We also have extensive sales channels in Southeast Asia, the Middle East, Africa, Europe, and America. We warmly welcome customers or agents all over the world to join us to construct an intelligent, safe, convenient and harmonious society.

6, How about the delivery time?

Regular products need 5-10 working days.

The delivery time of customized products is according to your requirement.

 **SEWO** Shenzhen SEWO Science & Technology Co., Ltd.



+86 18128807893



sewo198@szsewo.com



turnstilebarriers.com

Busha Road No 231. Buji Street. Longgang District. Shenzhen. China