

## Customizable Swing Barrier Turnstile Access Control Security Systems For Non-Motorized Vehicle Pedestrian

Our Product Introduction

for more products please visit us on [turnstilebarriers.com](http://turnstilebarriers.com)


### Basic Information

- Place of Origin: China
- Brand Name: SEWO
- Certification: CE ISO9001
- Model Number: SEWO-B6-320
- Minimum Order Quantity: 1 lane
- Price: Negotiable
- Packaging Details: wooden box
- Delivery Time: 5-7 working days
- Payment Terms: T/T, Western Union, MoneyGram, L/C, D/A, D/P
- Supply Ability: 2000 sets per month



### Product Specification

- Product Name: Supermarket Swing Gate
- Material: 304 Stainless Steel
- Power Supply: AC220V
- Dimension: 1200\*180\*980 Mm
- Type: Swing Gate
- Arm Length: 60~90 Cm
- Working Environment: Indoor / Outdoor ( Shelter)
- Warranty: 12 Months
- Color: Silver Or Customized
- Direction: Single/ Bi-direction
- Transit Speed: 20~60 People/minute
- Usage: Office, Hotel, Library, Metro Station, ect.
- Highlight: **Pedestrian Swing Barrier Turnstile,  
Non-Motorized Vehicle Swing Barrier Turnstile,  
Customizable Swing Barrier Turnstile**



## Product Description

### Customizable Swing Barrier Turnstile Access Control Security Systems For Non-Motorized Vehicle Pedestrian

Premium Security for High-Traffic Areas :

The Swing Gate Turnstile is a cutting-edge access control system designed to enhance security, streamline pedestrian flow, and deliver unmatched durability in high-traffic environments. Ideal for offices, stadiums, metro stations, airports, and industrial facilities, this turnstile combines sleek aesthetics with heavy-duty performance to meet modern security demands.

#### Key Features of Swing Gate:

1. Motor structure:

Adopt SEWO patent non-destructive fully-automatic movement

2. Alarm Function: Alarm for Illegal break-in. Follow. Passed overtime. Device damaged.

3. Anti-pinch Function: IR and Current feedback to make sure the safety

4. Fire alarm linkage function: Pass freely when get fire alarm

5. Pass mode: AB( A for card, B for pass freely), BA(B for card, A for pass freely), AA( card-swipping for A and B), BB( pass freely for both A and B)

6. More safety , with sensor in the up and down box , mainly used in the building with children

#### Specifications of Swing Turnstile Gate :

Product Name	Swing Gate Turnstile Series
Model No.	SEWO-B6-320
Housing Material	304 Stainless Steel
Thickness of Housing	1.2mm
Swing Arm Material	PMMA or stainless steel
Product Size(L*W*H)	1200*180*980 mm
Swing Arm Length	600~900mm
Transit speed	45 people/minute
Unlock time	0.4s
MCBF	≥ 3,000,000 times

#### Advantages of Swing Gate:

1). Running stably without noise and mechanical impact

2). The number of the passing persons can be counted via the built-in people counter

3). Several ways of working modes for option

4). Bi-direction or one direction permitted. One forbidden. Or one direction charged.

One for free . And all the working modes set by the buttons in the main control board

5). Beam falling and lifting can be controlled in far distance so to satisfy the special require ment of the users and the request of fire protection

6). LED Direction-guide lights in the turnstile to tell you whether the direction to go or not

7).The standard electrical interface connected with various kinds of reader and writer equipments

8). All the functions realized in one integration machine and controlled and managed by the computer in the far distance


9). The number of the persons passed can be counted automatically which can also be display in LED

10). The function with or without card-reading memory can be set according to your demand

11). Self-check and alarm for convenient to operate

#### Applications:

Tripod turnstiles are mainly used in parks, subway, customers, airport, bus station, office building, scenic spot, community, attractions, and exhibition hall doors, residential, Construction Sites, Industrial Plants, Marquee Golf Tournaments, State Fairs, Special Sporting Events and Festivals!



#### FAQ

1, What is the strength of your company in this industry?

Our company pays much attention to bringing and developing new technique and products since the foundation in 2003. Our brand "SEWO" has ranked among the top 10 famous brands of car parking systems and facilities in China.

2, What is the advantage products of your company?

Shenzhen Sewo Technology Ltd. is a professional high-tech enterprise, which integrates the development, manufacturing, marketing, and service of Smart Parking Management System, Flap Barrier, Tripod Turnstile, Swing Gate, Parking Guidance System, Barrier Gate, Parking Lock, Access Control Systems and other related security products.

3, How about the quality of your product?

With our exquisite technology and strict quality testing system, we passed "CE" and "ISO9001:2008" international quality assessment standards. Our company also has won many honors, such as "China Top 10 Parking Management System Supplier", "AAA grade quality, service and prestige enterprise in China", and so on. Professional R&D team has strong capacity to be committed to continuously creating high quality products and service.

4, How about some customization request?

We support OEM / ODM service, more than 20 years industry experience will bring appropriate design for you, not only products, but also a smart access management solution expert.

5, Do you have agency for after-sales service?

Any question about products, you can find our sales anytime. We will provide life-time technology support. We have established many branch offices and gained much agents at home. Our sales and service network spreads all over the world. We also have extensive sales channels in Southeast Asia, the Middle East, Africa, Europe, and America. We warmly welcome customers or agents all over the world to join us to construct an intelligent, safe, convenient and harmonious society.

6, How about the delivery time?

Regular products need 5-10 working days.  
The delivery time of customized products is according to your requirement.

 **SEWO** Shenzhen SEWO Science & Technology Co., Ltd.

 +86 18128807893

 [sewo198@szsewo.com](mailto:sewo198@szsewo.com)

 [turnstilebarriers.com](http://turnstilebarriers.com)

Busha Road No 231. Buji Street. Longgang District. Shenzhen. China