

Secure Bi-Directional Full Height Turnstile Gate 1500*1500*2200 mm for Pedestrian Access Control

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: SEWO
- Certification: CE ISO9001
- Model Number: SEWO-DM207
- Minimum Order Quantity: 1 lane
- Price: Negotiable
- Packaging Details: wooden box
- Delivery Time: 5-7 working days
- Payment Terms: T/T, Western Union, MoneyGram, L/C, D/A, D/P
- Supply Ability: 2000 sets per month



Product Specification

- Product Name: Full Height Turnstiles Gate
- Type: Semi-automatic Turnstile Gate
- Dimension: 1500*1500*2200 Mm
- Power Supply: AC 220V
- Communication: TCP/IP
- Warranty: 12 Months
- Unlock Time: 1s
- Passing Speed: 45 People/min
- Working Environment: Indoor/outdoor
- Housing Material: 304# Stainless Steel
- Color: Silver Or Customized
- Application: Airport, Office, hotel, supermarket, hospital Entrance
- Highlight: Secure Full Height Turnstile Gate, 1500*1500*2200 Full Height Turnstile Gate



More Images

SEWO Smart Vehicle & Pedestrian Access Control Management China Top 10
Focus on the Vehicle & Pedestrian Access Control more than 20 Years

PRODUCT PARAMETERS	
Picture	Full Height Turnstile Single Door
	Dimensions: 1500*1500*2200mm
	Passage Width: 450mm
	Passing Direction: Unidirectional/Bidirectional
	Throughput Rate: 6.2s
	Working Temperature: 20°C-40°C
	Protection Level: IP64
	Power Supply: 100-240V, 50/60Hz
	Power Consumption: 20W
	Drive Signal: Dry contact (pushing release)
	Application: Outdoor / Indoor
Material: 304 Stainless Steel	
Thickness of Motor	1.7mm 2.0mm 2.0mm 2.0mm 2.7mm 2.0mm 2.0mm
Thickness of Frame	0.7mm 1.0mm 1.2mm 1.5mm 0.7mm 1.0mm 1.2mm 1.5mm
Thickness of Pipe	0.7mm 1.0mm 1.2mm 1.5mm 0.7mm 1.0mm 1.2mm 1.5mm

for more products please visit us on turnstilebarriers.com

Product Description

Auto Turnstile Security Gates Bi-Directional Full Height Turnstile Gate For Pedestrian Access Control

Discriptions of Full Height Turnstile Gate:

SEWO full height turnstiles are the ideal solution for controlling access outdoors when many people are to enter or leave an area in a short time. SEWO turnstiles can be precisely adapted to your intended purpose thanks to the drive variants offered: it is set in motion by means of an energy-efficient, maintenance-free drive unit

Besides the security of your entry and lobby, the perimeter security of your building is another important aspect to consider. This one is a stainless steel full height turnstile that is extremely suitable for outside use. Its rugged construction ensures trouble free and dependable operation. The choice between three or four door wings allows you to adapt to the specific requirements concerning capacity, user comfort and security for your building.

Features of Semi-automatic Full Height Turnstile Gates:

With a self-test and alarm function, user-friendly maintenance and use

Through the main control on the half-built small-press plate, programmable devices running status

Mechanical structure, sensor features dual anti-trap, in the process of telescopic boom reset when you meet resistance, automatically stop or in the default time motor stopped working

Sound, light alarm functions, including unlawful entry, trailing alarm

Erosion control features, in the absence of gate opening signal is received, the arm automatically locked

Telescopic synchronization

With automatic reset function, gate opening, after a specified period of time does not pass; the system will automatically cancel the user's current access permissions

Power off automatically after the channel open, power-on self-closing

Connecting with a variety of reading devices which can be linked to the work of receiving the signal relay switch

May be one-way or two-way control personnel access

Managing computer directly through the remote control and management

Counting function (Optional)

Specifications of Full Height Turnstile :

Product Name	Semi-automatic Full Height Turnstiles
Model No.	SEWO-DM207
Housing Material	304# stainless steel
Swing Arm Material	304# stainless Steel
Passing Width:	≤550mm
Product Size(L*W*H)	1500*1500*2200MM
Unlock time	1 second
Passing Speed	45 people/minute
Driving Motor	DC 24V Brushless motor
Working Voltage	220V,50Hz
MCBF	≥ 5,000,000 times

Applications:

The turnstiles are mainly used in parks, subway, customers, airport, bus station, office building, scenic spot, community, attractions, and exhibition hall doors, residential, Construction Sites, Industrial Plants, Marquee Golf Tournaments, State Fairs, Special Sporting Events and Festivals!



FAQ

1, What is the strength of your company in this industry?

Our company pays much attention to bringing and developing new technique and products since the foundation in 2003. Our brand "SEWO" has ranked among the top 10 famous brands of car parking systems and facilities in China.

2, What is the advantage products of your company?

Shenzhen Sewo Technology Ltd. is a professional high-tech enterprise, which integrates the development, manufacturing, marketing, and service of Smart Parking Management System, Flap Barrier, Tripod Turnstile, Swing Gate, Parking Guidance System, Barrier Gate, Parking Lock, Access Control Systems and other related security products.

3, How about the quality of your product?

With our exquisite technology and strict quality testing system, we passed "CE" and "ISO9001:2008" international quality assessment standards. Our company also has won many honors, such as "China Top 10 Parking Management System Supplier", "AAA grade quality, service and prestige enterprise in China", and so on. Professional R&D team has strong capacity to be committed to continuously creating high quality products and service.

4, How about some customization request?

We support OEM / ODM service, more than 20 years industry experience will bring appropriate design for you, not only products, but also a smart access management solution expert.

5, Do you have agency for after-sales service?

Any question about products, you can find our sales anytime. We will provide life-time technology support. We have established many branch offices and gained much agents at home. Our sales and service network spreads all over the world. We also have extensive sales channels in Southeast Asia, the Middle East, Africa, Europe, and America. We warmly welcome customers or agents all over the world to join us to construct an intelligent, safe, convenient and harmonious society.

6, How about the delivery time?

Regular products need 5-10 working days.

The delivery time of customized products is according to your requirement.

 **SEWO** Shenzhen SEWO Science & Technology Co., Ltd.



+86 18128807893



sewo198@szsewo.com



turnstilebarriers.com

Busha Road No 231. Buji Street. Longgang District. Shenzhen. China