




Basic Information

- Place of Origin: Guangdong, China
- Brand Name: SEWO
- Model Number: SEWO-B4A-100
- Minimum Order Quantity: 2
- Price: \$500-750



Product Specification

- Access Control Type: RFID Card, QR Code, Fingerprint, Face Recognition, ESD System
- Barrier Open Time: 0.5 S
- Communication Interface: RS-232, RS485, TCP/IP, RS485
- Operation Direction: 2-Way
- Barrier Motor: Brushless Motor
- Material: Stainless Steel, 304 Stainless Steel
- Protection Level: IP54
- Housing Size: 100*200*1000 Mm
- Voltage: AC220,50HZ
- Drive Motor: DC Brushless Motor
- Channel Width: 600mm~900mm
- Pass Speed: 45 Persons/min
- Input Signal: DC12V Level Signal Or DC12V Pulse Signal
- Working Temperature: -30°C To +70 °C



More Images



Product Description

SEWO Automatic Entrance System Swing Turnstile Gate with Touchless Sensor

SEWO Flap Barrier swing gates provide an efficient access control solution for high-volume pedestrian flow in self-service environments. Also known as supermarket gates, chrome barriers, pedal gates, and till gates, these systems are widely used in various commercial and institutional settings.

Key Features & Benefits

Enhanced Security: Reduces shoplifting and theft in self-service environments including supermarkets, shopping malls, libraries, hospitals, and government facilities

Safety Protection: Anti-bump, anti-clip, anti-tailgating, and anti-intrusion features with immediate stop function when resistance is detected

Easy Installation & Maintenance: Simple installation process with no special maintenance requirements after deployment

Intelligent Operation: Self-examination capabilities and pre-set timing functions with automatic opening during fire alarms or power failures

Multiple Access Control Compatibility: Supports RS485 interface and integrates with RFID cards, barcodes, biometric systems, and other industry-standard software

High Efficiency: Bi-directional passing capability with accommodation for wheelchairs and strollers, achieving up to 45 people per minute


Applications

Ideal for parks, subways, airports, bus stations, office buildings, scenic spots, residential communities, construction sites, industrial plants, and special event venues including golf tournaments, state fairs, and festivals.

Technical Specifications

Product Name	SEWO Vertical Swing Turnstile Gate
Model No.	SEWO-B4A-100
Product Size	100×200×1000mm
Housing Material	304 Stainless Steel
Thickness of Housing	1.2mm
Swing Material	10mm Tempered Glass
Passing Width	600-900mm
Infrared Sensor	1 Pair
Operating Speed	0.5s
Passing Speed	45 people/minute
Noise Level	< 55dB
Driving Motor	DC 24V Brushless motor with encoder technology and clutch brake
Working Voltage	AC220V±10%, 50Hz±4%
Relative Humidity	≤95%, No Condensation
MCBF	> 10,000,000 cycles

Product Images



Pillar Swing Gate

Model No.: SEWO-B4A-100



- Housing size: 100×200×1000mm
- Housing Material: 304 stainless steel
- Thickness of Housing: 1.2mm
- Arm Material: 10mm tempered glass
- Passing Width: 600mm~900mm
- Infrared detection logarithm: 1 Pairs
- Passing Speed: 45 people/minute
- Operating time: 0.5s
- Driving Motor: DC 24V Brushless motor
- MCBF: ≥ 10,000,000 times



Company Advantages

With over 20 years of industry experience and multiple patents, SEWO provides comprehensive solutions including project proposal design, on-site rendering, 3D visualization, and custom color/label options. We support small order customization and deliver high-quality services for all customer requirements.

Contact us now for the most favorable pricing and high-quality service tailored to your access control needs.

 **SEWO** Shenzhen SEWO Science & Technology Co., Ltd.



+8618118781652



sewo688@szsewo.com



turnstilebarriers.com

Busha Road No 231. Buji Street. Longgang District. Shenzhen. China