

Automatic Tripod Turnstile Gate Tripod Access Control System With Ticket Checking ODM OEM

Basic Information

Place of Origin: China
Brand Name: SEWO
Certification: CE ISO9001
Model Number: SEWO-S1-5220

Minimum Order Quantity: 1 lane
Price: Negotiable
Packaging Details: wooden box
Delivery Time: 5-7 working days

Payment Terms:
 T/T, Western Union, MoneyGram, L/C, D/A,

D/P

Supply Ability: 2000 sets per month



Product Specification

Product Name: Tripod Turnstile Material: 304# Stainless Steel

Warranty: 12 MonthsPassing Width: 550 Mm

Size: 1200*250*1000 MmPassing Speed: 45 People/minute

Power Supply: AC220V

Working Environment: Indoor/Outdoor (with A Tent Over)

Keyword: Tripod TurnstileOdm/oem: Accepted

Highlight: Automatic Tripod Turnstile Gate,
 ODM Tripod Turnstile Gate,

Auto Tripod Access Control System



Automatic Turnstile Tripod Access Control System With Ticket Checking For Tourist Attractions Entrance

Discriptions of High-end Tripod Turnstile:

SEWO high-end series tripod turnstile is a powerful management system for people passing through fast. It is an ideal upgrade equipment for intelligent access control, and solve the obstacle problem in traditional access control, especially for problem from people when carrying luggage or disable person. It's mainly used in super markets, shipping malls. The case of the products are made of imported stainless steel press forming with elegant appearance, rust-proof, durable. This pedestrian gate can ensure people pass through the access orderly, and forbid people illegally in and out. In case of emergency, it open fast and let people evacuate.

Key Features of Tripod Turnstile Gate:

Mechanical drive unit with solenoid locking mechanism eliminate the use of expensive electric motor and reduce maintenance cost.

If arm rotated more than half, it will auto-rotate to the next idle position. If arm rotated less than half, it will auto-rotate back to the current idle position.

Built in adjustable tensioner to control rotation force to minimize over rotation. Arm just need to be pushed lightly to rotate therefore even elderly or children are able to use the turnstile.

Turnstile can be configured to be bi-directional or uni-directional. Housing is locked with special key to avoid tampering. When power off, the arm will be dropped down (optional set free passage when power off) to the request of fire protection. When power on, the arm can lift by hand.

Emergency configuration: the tripod will drop automatically by power off to provide a clear walkway for escape in the event of an emergency

Control panel with count and LED digital function. Traffic-light: A Red Cross symbol will illuminate to indicate the unit is not available for pass, and a green arrow indicate the direction of allowable passing.

It can be used for intelligent control and management of the passage after equipped with different access control system. A valid lock action can allow one passage at one time. It will lock automatically if passage through turnstile is not completed within pre-set time, the set time(from 2-60 seconds, by default, it is 10 seconds) can be set up with the built-in small keyboard or software.

Self-recovery function: the machine will recovery automatically with invalid counting if passage is not completed within pre-set time (5 seconds default, adjustable by software).

Specifications of Turnstile Tripod Gate:

Product Name	HighTripod Turnstile Series
Model No.	SEWO-S1-5220
Housing Material	SUS 304 stainless steel
Swing Arm Material	SUS 304 stainless steel
Passing Width	550 mm
Product Size(L*W*H)	1200*250*1000 mm
Passing Speed	45 people/minute
Driving Motor	DC 24V Brushless motor
111111111111111111111111111111111111111	220V
MCBF	≥ 5,000,000 times

Applications:

Tripod turnstiles are mainly used in parks, subway, customers, airport, bus station, office building, scenic spot, community, attractions, and exhibition hall doors, residential, Construction Sites, Industrial Plants, Marquee Golf Tournaments, State Fairs, Special Sporting Events and Festivals!





1, What is the strength of your company in this industry?

Our company pays much attention to bringing and developing new technique and products since the foundation in 2003Our brand "SEWO" has ranked among the top 10 famous brands of car parking systems and facilities in China.

2, What is the advantage products of your company?

Shenzhen Sewo Technology Ltd. Is a professional high-tech enterprise, which integrates the development, manufacturing, marketing, and service of Smart Parking Management System, Flap Barrier, Tripod Turnstile, Swing Gate, Parking Guidance System, Barrier Gate, Parking Lock, Access Control Systems and other related security products.

3, How about the quality of your product?

With our exquisite technology and strict quality testing system, we passed "CE" and "ISO9001:2008" international quality assessment standards. Our company also has won many honors such as "China Top 10 Parking Management System Supplier", "AAA grade quality, service and prestige enterprise in China", and so on. Professional R&D team has strong capacity to be committed to continuously creating high quality products and service.

4, How about some customization request?

We support OEM / ODM service, more than 20 years industry experience will bring appropriate design for you, no only products, but also a smart access management solution expert.

5, Do you have agency for after-sales service?

Any question about products, you can find our sales anytime. We will provide life-time technology support. We have established many branch offices and gained much agents at home. Our sales and service network spreads all over the world. We also have extensive sales channels in Southeast Asia, the Middle East, Africa, Europe, and America. We warmly welcome customers or agents all over the world to join us to construct an intelligent , safe, convenient and harmonious society.

6, How about the delivery time?

Regular products need 5-10 working days.

The delivery time of customized products is according to your requirement.

SEWO Shenzhen SEWO Science & Technology Co., Ltd.



